



The Chicago Region Trees Initiative (CRTI) goal is that, by 2050, the Chicago Region will support and host

a healthier urban forest, comprised of a diversity of tree species and appropriately distributed ages, across land use types in the region. The forest will provide the region improved environmental, economic, and social benefits. In order to achieve that goal CRTI works with a wide variety of people who work with and manage trees. This document is intended to help municipalities understand their urban forest, and identify strategies that they can use to make it better.

The *urban forest* is comprised of all of the trees in an urban setting, regardless of who owns or manages them. It is made up of street trees, forested natural areas and even the trees in resident's back yards. These trees are all included in the urban forest, because they all provide benefits that municipalities depend on. They improve air and water quality, reduce flooding and the urban heat island effect, and reduce energy use by shading buildings. Trees provide habitat for wildlife and improve residents' quality of life by reducing crime rates, increasing property value and boosting social cohesion in neighborhoods.

The magnitude of benefits that trees provide correlates with the size, structure and location of their

canopy. Understanding the extent of tree canopy is critical for urban planning. Canopy maps can be used to quantify the benefits that their trees provide, identify where new plantings would have the greatest impact and to develop priorities and strategies for expanding the canopy.

The Chicago Region Trees Initiative, USDA Forest Service, American Forests, and the University of Vermont mapped land cover across the seven-county Chicago Region. This project not only identifies tree canopy, but also other green infrastructure including vegetation under 10 feet tall, bare soil and water; and gray infrastructure including buildings, roads and rail and other paved surfaces like sidewalks and parking lots (Fig. 1). Here after, these seven layers will be referred to as *land cover types*.



Fig. 1: Comparison of satellite image and land cover map. Seven types of gray and green infrastructure are in the land cover map.






Fig 2: Cook County's current land cover (A), including 28% canopy cover. An additional 46% of the county is suitable for planting (B). Chicago currently has 19% canopy cover (C), and 44% of the land cover could potentially be converted to canopy (D).

Overall, 28% of Cook County is covered by tree canopy (Fig. 2). There is a lot of room for growth across the county. We can identify spaces where trees could potentially be planted by adding together the vegetation, bare soil and other paved surface land cover types, as these land cover types could be converted to canopy with minimal effort. In all, these land cover types make up 46% of the county's area, meaning that canopy cover could potentially be raised to 74% if all of these surface were converted to trees. It is important to note, that while these surfaces could theoretically be covered with canopy, it is not necessarily preferable. Agricultural fields and baseball diamonds are included as "plantable space," but few would agree that these are ideal sites to expand the forest canopy.

These land cover data can also describe canopy at the municipal scale. Chicago currently has 19% canopy cover, and could potentially increase their canopy to 63% (Fig. 2).






Fig 3: Variations in land cover across land use types.

Canopy cover is not distributed evenly across the region, nor within municipalities. To better understand how land cover patterns vary, we can compare them across land use types, like residential, commercial or park properties. In Chicago, the highest percentage of canopy is found in natural areas and golf courses (Fig. 3). Commercial properties and water ways have the lowest canopy cover. As one might expect, transit areas have the largest proportion of roads, and residential and commercial land use types have an abundance of buildings. See Table 1 at the end of this report for more details.






Fig 4: Current canopy and possible planting space across land use types.

By combining vegetation, bare soil and other paved surface categories we can identify which land use types have the most room for growth. In Chicago, the highest proportions of plantable space are found in utility and vacant sites (Fig. 4).






Fig 5: The majority of land is transit land use, followed by residential.

While utility and vacant sites have a high proportion of plantable space (Fig. 4), these land use types make up a relatively small area in Chicago (Fig. 5). The majority of its land is transit followed by residential.






Fig 6: Residential has the greatest potential for increasing the canopy, followed by transit.

Residential, transit and commercial land use types have the most area that could possibly be converted to canopy (Fig. 6). Targeting these areas could have the greatest impact in expanding the canopy. However, each of these land use types will require different strategies to increase canopy. Many of the transit properties are publicly owned, and could therefore be the easiest to work with. Residential property owners could be encouraged to plant more trees through tree giveaways, ordinances that encourage tree preservation, or stormwater tax breaks for properties that have more tree canopy. Commercial property owners could be encouraged to plant more trees through tree cost shares, tree adoptions, ordinances that encourage tree preservation, or stormwater fee rebates for properties that have more tree canopy.

Table 1: Summary of land cover across land use types.

	Tree canopy		Vegetation		Bare soil		Water		Buildings		Roads and rail		Other paved	
	Acres	Percent	Acres	Percent	Acres	Percent	Acres	Percent	Acres	Percent	Acres	Percent	Acres	Percent
Agriculture	2.0	24.1%	5.4	66.7%	0.0	0.0%	0.5	6.1%	0.0	0.0%	0.0	0.1%	0.2	3.0%
Cemetery	520.6	33.9%	871.8	56.8%	4.3	0.3%	28.3	1.8%	8.8	0.6%	10.9	0.7%	90.1	5.9%
Commercial	853.6	4.8%	1534.2	8.7%	1120.5	6.3%	93.4	0.5%	7470.8	42.2%	379.4	2.1%	6237.7	35.3%
Golf	406.8	35.7%	575.1	50.5%	17.3	1.5%	52.1	4.6%	8.0	0.7%	40.8	3.6%	39.3	3.4%
Institutional	757.6	10.6%	1793.6	25.1%	104.5	1.5%	9.1	0.1%	2097.2	29.3%	98.0	1.4%	2299.7	32.1%
Natural area	2236.5	62.3%	990.6	27.6%	27.2	0.8%	111.5	3.1%	6.7	0.2%	122.8	3.4%	95.6	2.7%
Park	1420.3	31.1%	2048.4	44.8%	213.6	4.7%	109.9	2.4%	100.1	2.2%	208.8	4.6%	467.3	10.2%
Residential	7739.3	16.5%	13282.7	28.3%	34.0	0.1%	12.5	0.0%	18222.8	38.8%	250.6	0.5%	7376.3	15.7%
Transit	11850.6	22.1%	9531.0	17.8%	1724.9	3.2%	911.9	1.7%	799.7	1.5%	21119.9	39.4%	7655.6	14.3%
Utility	170.5	7.0%	853.2	35.1%	428.0	17.6%	140.1	5.8%	148.9	6.1%	80.2	3.3%	608.2	25.0%
Vacant	1585.7	21.4%	3675.8	49.6%	814.2	11.0%	219.2	3.0%	93.1	1.3%	94.8	1.3%	925.9	12.5%
Water	93.6	5.9%	45.4	2.9%	4.9	0.3%	1422.6	89.8%	0.9	0.1%	8.4	0.5%	8.4	0.5%
Total abundance	27637.1	18.7%	35207.5	23.9%	4493.5	3.1%	3111.1	2.1%	28957.0	19.6%	22414.5	15.2%	25804.3	17.5%